

Vaccine Requirements For Children Enrolled in Preschool Programs and in Schools

Per DHMH Code of Maryland Regulations (COMAR) 10.06.04.03

Maryland School Year 2005 - 2006 (Valid 9/1/05 - 8/31/06)

Required cumulative number of doses for each vaccine for PRESCHOOL aged children enrolled in educational programs											
Vaccine Age of Child	DTaP/DTP/ DT/Td ¹	Polio ²	Hib	Measles ^{2,3}	Mumps ^{2,3}	Rubella ^{2,3}	Varicella ^{2,3,4} (Chickenpox)	Hepatitis B			
Less than 2 months	0	0	0	0	0	0	0	0			
2 - 3 months	1	1	1	0	0	0	0	1			
4 - 5 months	2	2	2	0	0	0	0	2			
6 - 11 months	3	3	2	0	0	0	0	2			
12 - 17 months	3	3	At least one dose after 12 months of age	1	1	1	1	3			
18 - 60 months	4	3	At least one dose after 12 months of age	1	1	1	1	3			

Required cumulative number of doses for each vaccine for children enrolled in KINDERGARTEN - 12th grade											
Grade	e Level (Ungraded)	DTaP/DTP/ DT/Td ¹	Polio ^{2,6}	Hib	Measles ^{2,3}	Mumps ^{2,3}	Rubella ^{2,3}	Varicella ^{2,3,4} (Chickenpox)	Hepatitis B		
Kindergarten	(5 yrs)	4	3	Not required	2	1	1	1	3		
Grades 1, 2, 3 & 4	(6-9 yrs)	4 or 3 ⁵	3	Not required	2	1	1	1	3		
Grades 5 - 12	(10 -18+ yrs)	4 or 3 ⁵	3	Not required	2	1	1	Not required	Not required		

¹ If DT vaccine is given in place of DTP or DTaP, a physician documented medical contraindication is required.

² Proof of immunity by positive blood test is acceptable in lieu of vaccine history for polio and measles, mumps, rubella and varicella.

All doses of measles, mumps, rubella and varicella vaccines must be given on or after the first birthday.

⁴ Physician documented history of chickenpox disease is acceptable in lieu of vaccine history. Disease history must specify Month and Year.

Four (4) doses of DTP/DTaP are required for children less than 7 years old. Three (3) doses of tetanus and diphtheria containing vaccines (DTP, DTaP, DT or Td) are required for children 7 years of age and older.

⁶ Polio vaccine is not required for persons 18 years of age and older.